## \_Donchester County Archives and History Conter

South Carolina Statewide Survey Site Form
State Historic Preservation Office
P.O. Box 11669 • Columbia • SC • 29211 • (803) 734-8609

| P.O. Box 11669 • Colu                      | tion Office<br>mbia • SC • 29211 • (803) 734-8609                                |   |  |
|--|--|---|--|
| IDENTIFICATION :                           |  |   |  |
| 1. Control Number                          | J <sub>/</sub> 35 / 1390   | 1 4960470.01 2 NE                                     |  |
|  | county census designated place   | -1  | R Microfiche index #                     |
|  | St. Barnabas Mission Chape   |   |  |
| 4. Common name:                            | Bishop Pengelley Memor   | ial Chapel  |  |
| 5. Address/location:                       | 705 South Main St.   |   |  |
| City: Summervill                           | e Vicinity of:   | County: Dorchester                                    | TMS: 137-10-07-                          |
| 6. Ownership: private 7. Category: buildir | (1) city (2) county (3) state (4) federal g(1) lite (2) structure (3) object (4) | (5) 9. Current use(s): single dwe                     | lling (1) multi dwelling (2)             |
| 8. Historic use(s): single                 | iwelling (1) multi dwelling (2) commerce   | commercia   | al (3) other (0)                         |
|  |  |   | historic district (2) archaeological (3) |
| 11. Status/date: listed in                 | ndividually in National Register/_/_   | _ name  |  |
| X listed as part                           | of NR historic district 5/1076 Name  | ofdierice Summerville Histor                          | rio District ("IOC 202)                  |
| Contributing                               | _non-contributing  | or district Scanner ville Histor                      | 10 District (#496-008)                   |
| listed individ                             | ually National Historic I and  | / Part of NITH  | 41                                       |
| actermmed e                                | INTIDIC—OWNER Objection / /  | DOE process   | district/_/_                             |
| ueuermmea r                                | (UI eligible / /   | Telected by Te  | eview board_/_/_                         |
| deterred by n                              | eview board  | removed from  | m NR _/_/_                               |
| _rejected by W                             | ashington  | removed from  | m survey//_                              |
| pending rede                               | ral nomination   | demolished _  | / /                                      |
| _completed PT                              | eliminary Information Sheet (PIS)_/_   |   | on file/never processed/_/_              |
| 12. Number of contributin                  | g properties:  |   | - Landy stever processed                 |
| PROPERTY DESCRIPT                          | ON: When other (0) is chosen, enter data o                                       | The Teverse side under category 20 or 21              |  |
| 13. Construction Date 189                  | 14. Alteration Date <u>ca</u> 1950   | 1K Analysis and 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | Carment G                                |
| 16. Commercial Form — ci                   | 1982   | 13. Architectural style or influence                  | Carpenter Gothic                         |
| 1) 2-part commercial block                 | D )stacked vertical block  | C)1 c   |  |
| 3) 1-part commercial block                 | E) 2-part vertical block   | G) temple front<br>H) vault                           | J) Central block w/wings                 |
| c) enframed window wall                    | F) 3-part vertical block   | I) enframed block                                     | K) arcaded block                         |
| 7 DECEMBER                                 |  | 1) Cimamed block                                      | 0) other                                 |
| 7. DESCRIPTION: Select a                   | s many responses as appropriate.   |   |  |
| - ALLO LO CORE SHAP                        | D) ROOF SHAPE  | F) PORCH ROOF SHAPE                                   |  |
| rectangular (1)                            | gable (end to front) (1)   | shed (1)  | H) WINDOWS                               |
| square (2)                                 | gable (lateral) (2)  | hip (2)   | single(1)                                |
| L (3)<br>Γ (4)                             | hip (3)  | gable (3)   | double (2)                               |
| U (5)                                      | cross gable (4)  | pedimented gable (4)                                  | tripartite (3)                           |
| H (6)                                      | pyramidal (5)  | flat (5)  | grouped (4)                              |
| octagonal (7)                              | flat (6)   | engaged (6)   | decorative (5)                           |
| rregular (8)                               | truncated hip (7)  | partially engaged (7)                                 | display (6)                              |
| other (0)                                  | gambrel (8)  | gable-on-hip or shed (8)                              | other (0)                                |
|  | mansard (9)  | engaged porte cochere (9)                             |  |
| STORIES                                    | salt box (10)  | other (0)   | I) PANE CONFIGURATION                    |
| story(1)                                   | jerkinhead (11)  | (0)   | traceried (1)                            |
| 1/2 suries (2)                             | gable-on-hip (12)  |   | Queen Anne block-glass (2)               |
| stories (3)                                | mono-pitch (14)  | G) NUMBER OF CHIMNEYS                                 | Prairie/bungalow/craftsman               |
| 1/2 stories (4)                            | not visible (15)   | exterior (1)  | geometric (3)                            |
| stories (5)                                | other (0)  | interior end (2)                                      | not visible (4)                          |
| ther (0)                                   | E) PORCH WIDTH   | interior (3)  | other(0)                                 |
| PORCH HEIGHT                               | entrance have a la (1)   | central (4)   |  |
| story (1)                                  | entrance bay only (1)  | flue (5)  |  |
| story w/deck (2)                           | over 1 bay, less than full   | double shouldered (6)                                 | J) DOORS                                 |
| or more stories (3)                        | facade(2) full facade (3)  | not visible (7)                                       | _single (1)                              |
| or more with tiers (4)                     | facade & left alamatan (4)   | other (0)   | Idouble(2)                               |
| ofed balcony over 1 story                  | facade & left elevation (4)  |   | transom (5)                              |
| nip/shed (5)                               | facade & right elevation (5) facade & both elevations (6)                        |   | fanlight (4)                             |
| her (0)                                    | other (0)  |   | sidelights (5)                           |
|  |  |   | other(0)                                 |
|  |  |   | 9/80                                     |

## Dorchester County Archives and History Conter

| K) CONSTRUCTION METHO   | D M. BORGE DIFFE   |   |                                      |  |  |  |
|---|--|---|--------------------------------------|--|--|--|
| masonry (1)   | M) PORCH DETAILS chamfered posts (1)   | O) ROOF MATERIAL                              | Q) DECORATIVE ELEMENT                |  |  |  |
| frame (2)   | turned posts (2)   | composition shingle (1)                       | MATERIAL                             |  |  |  |
| log (3) steel (4)   | supports on pedestals (3)  | pressed metal shingle (2)<br>wood shingle (3) | cast iron (1)                        |  |  |  |
| other (0)   | columns (4)  | slate (4)                                     | pressed metal (2)<br>terra cotta (3) |  |  |  |
|   | posts (5)  | raised seam metal (5)                         | granite (4)                          |  |  |  |
| L) EXTERIOR WALLS weatherboard (1)  | piers (6)<br>pillars (7)   | other metal (6)                               | marble (5)                           |  |  |  |
| beaded weatherboard (2)   | freestanding posts (8)   | rolled roofing (7)                            | cast stone (6)                       |  |  |  |
| shiplap (3)   | balustrade (9)   | not visible (8)                               | brick (7)                            |  |  |  |
| flushboard (4)  | apron wall (10)  | tile (9)<br>other (0)                         | wood((8))                            |  |  |  |
| wood shingle (5)  | turned balusters (11)  | ouleis(0)                                     | pigmented glass (9)                  |  |  |  |
| stucco (6)  | decorative sawn balusters (12)   | P) FOUNDATION                                 | stone (10)                           |  |  |  |
| tabby (7)   | slat balusters (13)  | not visible (1)                               | stucco (11)                          |  |  |  |
| brick (8)   | other sawn/turned work (14)  | brick pier((2))                               | other (0)                            |  |  |  |
| brick veneer (9)  | insect screening (15)  | brick pier with fill (3)                      |                                      |  |  |  |
| stone veneer (10) cast-stone (11)   | porte cochere (16)   | brick (4)                                     | R) INTERIOR FEATURES (list)          |  |  |  |
| marble (12)   | other (0)  | stuccoed masonry (5)                          | (201)                                |  |  |  |
| asphalt roll (13)   | N) CHIMNEY MATERIAL  | stone pier (6)                                |                                      |  |  |  |
| synthetic siding (14)   | brick (1)  | stoner(7)                                     |                                      |  |  |  |
| asbestos shingle (15)   | stuccoed brick (2)   | slab construction (9)                         |                                      |  |  |  |
| pigmented structural  | stone (3)  | basement (10)                                 |                                      |  |  |  |
| glass(16)   | brick & stone (4)  | raised basement (11)                          |                                      |  |  |  |
| other((0))  | other (0)  | other (0)                                     |                                      |  |  |  |
| 10  |  |   |                                      |  |  |  |
| 18. HISTORIC OUTBUILDINGS   | AND STRUCTURES:  |   |                                      |  |  |  |
| none(1)   | tenant house (7)   |   |                                      |  |  |  |
| none visible (2)  | other house (8)  | cribi(13                                      | store (19)                           |  |  |  |
| garage (3)  | office (9)   | smokehouse (14)                               | windmill (20)                        |  |  |  |
| garage w/living area (4)  | barn (10)  | slave house (15)                              | chicken coop (21)                    |  |  |  |
| shed (5)  | tobacco barn (11)  | privy (16)<br>well (17)                       | silo (22)                            |  |  |  |
| kitchen (6)   | dairy (12)   | springhouse (18)                              | washhouse (23)                       |  |  |  |
|   |  |   | root cellar (24)                     |  |  |  |
| 19. SURROUNDINGS  |  |   | other (0)                            |  |  |  |
| residentia  | (1) residential/commercial(2) comm   | ercial (3) rural (4) rural commun             | ring (K) industrial (C)              |  |  |  |
| 20. ADDITIONAL DESCRIPTIVE  | COLUMN 889. Church   | T   | iny (5) industrial (6) other (0)     |  |  |  |
| eight panes. J: Poir  | COMMENTS: 8&9: Church.   | 1: Windows are pos                            | inted and fixed with                 |  |  |  |
| Decorative bares  | nted door surround. L:   | Board-and-batten                              | siding.                              |  |  |  |
| and the bargeboar   | one bay shed addition  | wer to rear of ric                            | tht                                  |  |  |  |
| 21. ALTERATIONS One by o  | one bay shed addition  | to rear left is                               | nt elevation (Cont.)                 |  |  |  |
| by shed connector.  | Structure has been   | of rear left is at                            | tached to church                     |  |  |  |
| has been relocated twice in an 1050   |  |   |                                      |  |  |  |
|   |  | LJOL CO PLESEIIL S                            | 116                                  |  |  |  |
| 22. Theme(s):   | 23. Period(s):   |   |                                      |  |  |  |
|   | 23. Period(s):   | 24. Important p                               | ersone:                              |  |  |  |
| 25. Architect(s):   | Sou Sou  | 7   |                                      |  |  |  |
| 6 P11.  | Sou  | irces —                                       |                                      |  |  |  |
| to. Builder(s)  | Sou  |   |                                      |  |  |  |
|   |  |   |                                      |  |  |  |
| purch: conveyed sittle il   | as chapel for St. Barnabas   | ' Mission, a mission                          | of C+ Deville D                      |  |  |  |
| iden, conveyed with the   | as chapel for St. Barnabas<br>mission property to the R<br>enamed in 1945. Moved to p  | oformal B                                     | or St. Paul's Episcopal              |  |  |  |
| neological Seminary and r   | enamed in 1945. Moved to per, Beth's Pineland W  | erormed Episcopal Chur                        | ch for its Cummins                   |  |  |  |
| 8. Informant/Bibliography Foot  | B in 1949. Moved to  | present seminary site                         | in 1982                              |  |  |  |
| Fost  | er, Beth's Pineland V  | illage, 103-104.                              |                                      |  |  |  |
|   |  | 3 33 104,                                     |                                      |  |  |  |
| ROGRAM MANAGEMENT   |  |   |                                      |  |  |  |
| 9. Quadrangle name: Summe:  | rville, SC   |   |                                      |  |  |  |
|   |  | Photographs: prints (1) slides (2)            | negatives (8)                        |  |  |  |
| environmentation: survey back-up files (1) National Register files (2)          |  |   |                                      |  |  |  |
| chivironmental review files (6) HAI   | Other documentation: survey back-up files (1) National Register files (2) tax act files (3) grant files (4) state historical marker files (5)  Procedure of the survey back-up files (1) National Register files (2) tax act files (3) grant files (4) state historical marker files (5) |   |                                      |  |  |  |
| Recorder name/firm Preservation Community                                       |  |   |                                      |  |  |  |
| Recorder name/firm Preservation Consultants: SD 33. Date recorded 3 / 20 / 1996 |  |   |                                      |  |  |  |
|   | - 55.  |   | 1996                                 |  |  |  |

\_Darchester-County Archives and History Conter

## South Carolina Statewide Survey Site Form CONTINUATION AND PHOTOGRAPHS

Control Number U/ 35 / 1390 / 496 0470 01 county census designated place site #

Continuation:

20: includes belfry and pyramidal roof. Rear gable wing.

Photo # Photo Index # View of N.S.E.W

D9, F3 Facade & Right N
D9, F2 Rear S

Date Taken/Recorded by: 1996/ Preservation Consultants

State Historic Preservation Office • P.O. Box 11669 • Columbia, SC 29211 • (803) 734-8609





Darchester County Archives and History Contor